



LEGEND

TREE CONDITION CATEGORIES

- A TREES OF HIGH VALUE AND QUALITY
- B TREES OF MODERATE VALUE AND QUALITY
- C TREES OF LOW QUALITY AND VALUE

TREE CONSTRAINTS

- TREE SURVEY BOUNDARY

AP refers to trees not shown on topographical survey drawing but located approximately on the this drawing only. Exact locations may need to be ascertained if the trees are to be retained.

Drawing to be interpreted with reference to Tree Survey document

Tree constraints shown are calculated from guidelines contained within BS5837 (2012) within dimensions contained within Section 9 of the Tree Survey document. This outline should not be interpreted as the exact extent of root spread however it is considered the optimal area to be retained free of developmental impacts. Natural and/or man made barriers such as waterlogged soil or buildings may restrict the spread of tree roots. Crown spreads may also prove to be a constraint particularly where crown reduction may not be possible. The constraints lines shown on this drawing are therefore a guide only. An on-site assessment should be undertaken in the event of any developments being planned within the areas shown for retained trees.



REV	DATE	DESCRIPTION
A	31.10.18	North symbol direction changed

CMK
Horticulture & Arboriculture

Client: Ardstone Homes Ltd	PROJECT: PROPOSED DEVELOPMENT AT BLUEBELL NAAS, CO KILDARE	JOB NO: TBL001
DRAWING: Tree Survey & Constraints	DATE: 31-10-18	SCALE: 1:500@ A1
DRAWN BY: Cian Kildare	CK INITIALS	REVISION: A
NOTES: This drawing is copyright of CMK Horticulture & Arboriculture. STATUS: Planning		